Listing of the Claims

1. (currently amended) A game cart kit comprising a first wheel bracket assembly and a second wheel bracket assembly, and a tow bar assembly, wherein said first and second wheel bracket assemblies further each comprises a bracket, an axle segment, and a wheel, each said bracket further comprising a base section and a plurality of wall members extending upward therefrom, wherein said wall members further comprise a peripheral wall member and a pair of central wall members, said peripheral wall member extending upward, substantially perpendicular to said base member, and said pair of central wall members extending upward, substantially perpendicular to said base member.

2. (canceled)

- 3. (original) The game cart kit of claim 1 wherein said peripheral wall member further comprises a first set of peripheral wall holes and a second set of peripheral wall holes, and said pair of said central wall members each comprise a set of central wall holes.
- 4. (currently amended) The game cart kit of claim 1 wherein <u>each</u> said bracket further comprises an upper surface and a lower surface, wherein said upper surface is <u>being</u> adapted to receive at least one ladder segment, and said lower surface further eomprises comprising an axle segment fixedly attached thereto.

- 5. (currently amended) The game cart kit of claim 4 wherein said axle segment further comprises a first end and a second end, <u>and</u> wherein said first end of said axle <u>segment</u> is adjacent to the side of the bracket contiguous with <u>the said</u> peripheral wall <u>member</u>, and <u>the said</u> second end extends outward from said bottom side of said bracket, substantially <u>-parallel perpendicular</u> to said <u>walls wall members</u>.
- 6. (original) The game cart kit of claim 5 wherein said axle segment further comprises a pair of bores there through, wherein said pair of bores are separated by a distance sufficient to accommodate a hub of a wheel there between.
- 7. (currently amended) The game cart kit of claim 6 wherein said hub of said wheel is secured to said axle segment of said bracket by inserting a first locking means through said first bore in said axle segment and inserting a second locking means through said second bore of said axle segment.
- 8. (currently amended) The game cart kit of claim 7 wherein said first locking means and said second locking means each further comprises a pair of cotter pins.
- 9. (original) The game cart kit of claim 4, wherein said at least one ladder segment further comprises a tree stand.
- 10. (currently amended) The game cart kit of claim 1, wherein said tow bar assembly further comprises a pair of elongated bar segments, a pair of tow bar bracket assemblies, and a pair of tow bar clamps.

148076

- 11. (original) The game cart kit of claim 10 wherein said pair of elongated bar segments each comprise a distal end for mounting one of said pair of tow bar bracket assemblies, and tow end for coupling said pair of elongated bar segments to each other.
- 12. (currently amended) The game cart kit of claim 11 wherein each of said elongated bar segments further comprises a though through hole wherein said through holes of each of said elongated bar segments are adjacent to each other and thereby form a single bore between said pair of elongated bar segments.
- 13. (original) The game cart kit of claim 10 wherein one of said pair of tow bar clamps is attached to a respective one of said pair of elongated bar segments, wherein each of said one of said pair of tow bar clamps is between said distal end and said tow end.
- 14. (currently amended) The game cart kit of claim 10 wherein each one of said pair of tow bar bracket assemblies is adapted to receive and an upright ladder segment, and each one of said pair of tow bar clamps is adapted to receive a ladder rung.
- 15. (original) The game cart kit of claim 14 wherein said each one of said pair of tow bar bracket assemblies further comprises a tow bar bracket locking means for securing said upright ladder segment to said each one of said pair of tow bar bracket assemblies.

148076

- 16. (original) The game cart kit of claim 15 wherein said tow bar bracket locking means further comprises a quick pin and plurality of through holes.
- 17. (original) The game cart kit of claim 14 wherein said each one of said pair of tow bar clamps further comprises a tow bar clamp locking means for securing said ladder rung to said each one of said pair of tow bar clamps.
- 18. (original) The game cart kit of claim 17 wherein said tow bar clamp locking means further comprises a quick pin and plurality of through holes.
- 19. (currently amended) The game cart kit of claim 10 wherein said pair of elongated bar segments are pivotally attached to each other so that the relative positions of said pair of tow bar bracket assemblies and said pair of said tow bar clamps are adaptable to secure ladder assemblies of varying sizes.

148076 5